


# 10" PROFESSIONAL CABINET SAW

# PARTS LISTS

# CABINET AND TABLE




# CABINET AND TABLE

| No. | Description                                       | Part No. | Qty. |
|-----|---------------------------------------------------|----------|------|
| 1   | Table                                             | PCS-001  | 1    |
| 2   | Rear Lock Down Screw for Insert                   | PCS-002  | 2    |
| 3   | Cast Iron Extension Wing                          | PCS-003  | 2    |
| 4   | M6x1.0x12 Socket Cap Screw                        | PCS-004  | 2    |
| 5   | M6 Lock Washer                                    | PCS-005  | 6    |
| 6   | M6x15x1.5 Washer                                  | PCS-006  | 6    |
| 7   | Table Alignment Bracket                           | PCS-007  | 1    |
| 8   | M8x1.25x20 Hex Head Bolt                          | PCS-008  | 8    |
| 9   | M8 Lock Washer                                    | PCS-009  | 12   |
| 10  | M8x20x2 Washer                                    | PCS-010  | 8    |
| 11  | M6x1.0x50 Socket Cap Screw                        | PCS-244  | 2    |
| 12  | Standard Insert Assembly (includes items 13-78)   | TSI-SLD  | 1    |
| 13  | Rear Leveling Screw                               | PCS-013  | 2    |
| 14  | M6x1.0x14 Set Screw                               | PCS-014  | 2    |
| 15  | M6x1.0x8 Set Screw                                | PCS-015  | 2    |
| 16  | Table Insert Lock-Down Lever                      | PCS-253  | 1    |
| 17  | M4x0.7x10 Flat Head Phillips Screw                | PCS-017  | 2    |
| 19  | Switch Box Assembly (includes items 21-22, 67-68) | PCS-019  | 1    |
| 20  | M8x1.25x12 Button Head Socket Screw               | PCS-020  | 4    |
| 21  | Switch Box Lock Out Key                           | PCS-021  | 1    |
| 22  | Bypass Key                                        | PCS-022  | 1    |
| 23  | Switch Box Mounting Bracket                       | PCS-023  | 1    |
| 24  | Cabinet                                           | PCS-024  | 1    |
| 25  | Tilt Shaft Mounting Bracket                       | PCS-025  | 1    |
| 26  | M6x1.0x15 Hex Head Bolt                           | PCS-026  | 2    |
| 27  | M6x1.0 Hex Nut                                    | PCS-027  | 2    |
| 28  | Accessory Tool Holder                             | PCS-028  | 1    |

|    |                                    |         |   |
|----|------------------------------------|---------|---|
| 29 | M6x1.0x12 Button Head Socket Screw | PCS-029 | 2 |
| 30 | Blade Wrench Holder                | PCS-030 | 1 |
| 31 | Blade Wrench                       | PCS-031 | 2 |
| 32 | Tilt Angle Scale                   | PCS-032 | 1 |
| 33 | M5x0.8x10 Pan Phillips Screw       | PCS-033 | 6 |
| 34 | M5 Lock Washer                     | PCS-034 | 7 |
| 35 | M5x10x1 Washer                     | PCS-035 | 2 |
| 36 | Switch Box Cable Grommet           | PCS-036 | 1 |
| 37 | Side Cabinet Access Door           | PCS-037 | 1 |
| 38 | Cabinet Access Door Lock Knob      | PCS-038 | 1 |
| 39 | M6 Push Nut                        | PCS-039 | 1 |
| 40 | M6x1.0x10 Button Head Socket Screw | PCS-040 | 1 |
| 41 | M10x1.5x25 Hex Head Bolt           | PCS-041 | 4 |
| 42 | M10 Lock Washer                    | PCS-042 | 4 |
| 43 | M10x25x3 Washer                    | PCS-043 | 4 |
| 44 | Motor Cover                        | PCS-044 | 1 |
| 45 | Motor Cover Mounting Bracket       | PCS-045 | 2 |
| 46 | Motor Cover Rod                    | PCS-046 | 1 |
| 47 | Dust Collection Port               | PCS-047 | 1 |
| 48 | M5x3x15 Button Head Phillips Screw | PCS-048 | 3 |
| 49 | Hose Clamp                         | PCS-049 | 2 |
| 50 | Dust Collection Hose               | PCS-050 | 1 |
| 51 | Rear Cabinet Access Door           | PCS-051 | 1 |
| 52 | Motor Cover Foam Large             | PCS-052 | 2 |
| 53 | Motor Cover Foam Small             | PCS-053 | 2 |
| 54 | Access Door Rubber Pad             | PCS-054 | 4 |
| 55 | M6x1.0x20 Button Head Socket Screw | PCS-055 | 2 |
| 56 | 115V Contactor Box                 | PCS-057 | 1 |

(cont.)

# CABINET AND TABLE (CONT.)




## CABINET AND TABLE (CONT.)

|    |                                |         |   |
|----|--------------------------------|---------|---|
| 57 | M5 External Tooth Lock Washer  | PCS-058 | 2 |
| 58 | Main Power Cable               | PCS-243 | 1 |
| 59 | Motor Cable Assembly           | PCS-060 | 1 |
| 60 | Motor Control Cable Assembly   | PCS-061 | 1 |
| 61 | SawStop Label                  | PCS-062 | 1 |
| 62 | Blade Retraction Warning Label | PCS-063 | 1 |
| 63 | Gear Warning Label             | PCS-064 | 1 |

|    |                                 |         |   |
|----|---------------------------------|---------|---|
| 64 | Patent Label                    | PCS-065 | 1 |
| 65 | Specification Label             | PCS-067 | 1 |
| 66 | Main Warning Label              | PCS-257 | 1 |
| 67 | Main Power Label                | PCS-069 | 1 |
| 68 | System Status Label             | PCS-070 | 1 |
| 70 | Professional 1.75HP Model Label | PCS-259 | 1 |

# INTERNAL ASSEMBLY




# INTERNAL ASSEMBLY

| No. | Description                               | Part No. | Qty. |
|-----|-------------------------------------------|----------|------|
| 1   | 1.75 HP, 1 PH, 115/230V, 60Hz, TEFC Motor | PCS-073  | 1    |
| 2   | M12x1.75x65 Hex Head Bolt                 | PCS-074  | 2    |
| 3   | M5x5x30 Key                               | PCS-075  | 1    |
| 4   | Motor Pulley                              | PCS-077  | 1    |
| 5   | M6x1.0x8 Set Screw                        | PCS-078  | 2    |
| 6   | Front Trunnion Bracket                    | PCS-079  | 1    |
| 7   | M10x1.5x25 Hex Head Bolt                  | PCS-080  | 4    |
| 8   | M10 Lock Washer                           | PCS-081  | 4    |
| 9   | M10x25x3 Washer                           | PCS-082  | 6    |
| 10  | M10x1.5x30 Hex Head Bolt                  | PCS-083  | 3    |
| 11  | M10x1.5 Hex Jam Nut                       | PCS-084  | 3    |
| 12  | M8x20 Pin                                 | PCS-085  | 2    |
| 13  | M8x1.25x16 Set Screw                      | PCS-086  | 1    |
| 14  | Front Trunnion                            | PCS-087  | 1    |
| 15  | Upper Torque Tube                         | PCS-088  | 1    |
| 16  | M6x1.0x20 Socket Cap Screw                | PCS-089  | 18   |
| 17  | M6 Lock Washer                            | PCS-090  | 27   |
| 18  | Cable Clamp                               | PCS-091  | 3    |
| 19  | Rear Trunnion                             | PCS-092  | 1    |
| 20  | Rear Trunnion Bracket                     | PCS-093  | 1    |
| 21  | M8x1.0x20 Set Screw                       | PCS-094  | 1    |
| 22  | Lower Torque Tube                         | PCS-095  | 1    |
| 23  | M6x1.0x12 Socket Cap Screw                | PCS-096  | 3    |
| 24  | Rubber Bumper                             | PCS-097  | 1    |
| 25  | M5x2.2x20 Button Head Phillips Screw      | PCS-098  | 8    |
| 26  | M5 Lock Washer                            | PCS-099  | 4    |
| 27  | Dust Shroud (inner half)                  | PCS-100  | 1    |
| 28  | Dust Shroud (outer half)                  | PCS-101  | 1    |
| 29  | Dust Shroud Blast Shield                  | PCS-102  | 1    |
| 30  | Elevation Control Shaft Front Bushing     | PCS-103  | 1    |
| 31  | Tilt Indicator                            | PCS-104  | 1    |

|    |                                              |         |   |
|----|----------------------------------------------|---------|---|
| 32 | M6x1.0x15 Button Head Socket Screw           | PCS-105 | 2 |
| 33 | Tilt Handwheel Lock Knob                     | PCS-106 | 1 |
| 34 | Handwheel Handle                             | PCS-107 | 2 |
| 35 | Handwheel                                    | PCS-108 | 2 |
| 36 | M6x1.0x8 Set Screw                           | PCS-109 | 2 |
| 37 | M5x5x25 Key                                  | PCS-110 | 2 |
| 38 | Control Shaft Key                            | PCS-111 | 2 |
| 39 | Elevation Control Shaft                      | PCS-245 | 1 |
| 40 | Elevation Control Shaft Rear Bushing         | PCS-246 | 1 |
| 41 | M4x4x20 Key                                  | PCS-114 | 1 |
| 42 | Elevation Control Worm                       | PCS-115 | 1 |
| 43 | M8x23x2 Hardened Washer                      | PCS-116 | 1 |
| 44 | M8x1.25x16 Button Head Socket Screw          | PCS-117 | 1 |
| 45 | Tilt Control Shaft                           | PCS-118 | 1 |
| 46 | M4x20 Spring Pin                             | PCS-119 | 1 |
| 47 | Tilt Control Worm                            | PCS-120 | 1 |
| 48 | M12x21x2 Washer                              | PCS-121 | 1 |
| 49 | Tilt Control Worm Adjustment Bracket         | PCS-122 | 1 |
| 50 | Tilt Control Worm Adjustment Bracket Bushing | PCS-123 | 1 |
| 51 | M8x16x2 Washer                               | PCS-124 | 2 |
| 52 | Tilt Control Shaft Spacer                    | PCS-125 | 1 |
| 53 | Elevation Plate                              | PCS-126 | 1 |
| 54 | Primary Elevation Shaft                      | PCS-127 | 1 |
| 55 | Primary Elevation Shaft Bushing              | PCS-128 | 2 |
| 56 | M8x1.25x40 Socket Cap Screw                  | PCS-129 | 2 |
| 57 | M8 Lock Washer                               | PCS-130 | 7 |
| 58 | M8x1.25x30 Socket Cap Screw                  | PCS-131 | 3 |
| 59 | Gas Spring Mounting Bracket                  | PCS-132 | 1 |
| 60 | Gas Spring                                   | PCS-256 | 1 |
| 61 | Elevation Threaded Rod                       | PCS-134 | 1 |
| 62 | M8x1.25x25 Hex Head Bolt                     | PCS-135 | 2 |
| 63 | M6x1.0x16 Set Screw                          | PCS-136 | 2 |

(cont.)

# INTERNAL ASSEMBLY (CONT.)






## INTERNAL ASSEMBLY (CONT.)

|    |                                                                        |         |   |
|----|------------------------------------------------------------------------|---------|---|
| 64 | Secondary Elevation Shaft                                              | PCS-137 | 1 |
| 65 | Secondary Elevation Shaft Bushing                                      | PCS-138 | 1 |
| 66 | M6x1.0x55 Socket Cap Screw                                             | PCS-139 | 2 |
| 67 | Secondary Elevation Shaft Standoff                                     | PCS-140 | 2 |
| 68 | M6x1.0 Lock Nut                                                        | PCS-141 | 2 |
| 69 | M13 External Retaining Ring                                            | PCS-142 | 2 |
| 70 | Elevation Worm Gear                                                    | PCS-143 | 1 |
| 71 | M4x4x15 Key                                                            | PCS-144 | 2 |
| 72 | Elevation Gear Shaft Bushing                                           | PCS-145 | 2 |
| 73 | Elevation Gear Shaft Mounting Bracket                                  | PCS-146 | 2 |
| 74 | Elevation Gear Shaft                                                   | PCS-147 | 1 |
| 75 | M6x15x1.5 Washer                                                       | PCS-148 | 6 |
| 76 | Elevation Pinion Gear                                                  | PCS-149 | 1 |
| 77 | Spreader Mounting Plate                                                | PCS-150 | 1 |
| 78 | M10x1.5x25 Socket Cap Screw                                            | PCS-151 | 2 |
| 79 | M8x1.0 Hex Nut                                                         | PCS-152 | 1 |
| 80 | Spreader Positioning Plate                                             | PCS-153 | 1 |
| 81 | M3x0.5x6 Set Screw (for saws with a serial number prior to P154900001) | PCS-154 | 1 |
|    | M4x0.7x6 Set Screw (for saws with a serial number P154900001 or later) | PCS-274 |   |

|     |                                |         |   |
|-----|--------------------------------|---------|---|
| 82  | Clamp Spring                   | PCS-155 | 1 |
| 83  | Clamping Plate                 | PCS-156 | 1 |
| 84  | Clamping Plate Cam Bushing     | PCS-157 | 1 |
| 85  | Clamp Handle                   | PCS-158 | 1 |
| 86  | M8x1.0x40 Hex Head Bolt        | PCS-159 | 1 |
| 87  | M4x0.7x6 Set Screw             | PCS-160 | 1 |
| 88  | Riving Knife                   | PCS-161 | 1 |
| 89  | Elevation Handwheel Lock Knob  | PCS-162 | 1 |
| 90  | Tilt Control Shaft Collar      | PCS-163 | 1 |
| 91  | M4x0.7x10 Socket Cap Screw     | PCS-164 | 1 |
| 92  | M8 Polyurethane O-Ring         | PCS-165 | 1 |
| 93  | Dust Shroud Clip               | PCS-166 | 2 |
| 94  | Dust Shroud Mounting Bracket   | PCS-167 | 1 |
| 95  | M5.2x10 Spring Pin             | PCS-168 | 1 |
| 96  | M6x1.0x30 Socket Cap Screw     | PCS-169 | 4 |
| 97  | M6x22 Pin                      | PCS-242 | 2 |
| 98  | Elevation Control Shaft Collar | PCS-247 | 1 |
| 99  | M5x0.8x16 Socket Cap Screw     | PCS-248 | 1 |
| 100 | M20x32x2 Washer                | PCS-249 | 1 |
| 101 | M6x1.0x10 Custom Set Screw     | PCS-250 | 1 |
| 102 | M6x1.0x25 Socket Cap Screw     | PCS-261 | 2 |

# ARBOR ASSEMBLY




# ARBOR ASSEMBLY

| No. | Description                       | Part No. | Qty. |
|-----|-----------------------------------|----------|------|
| 1   | Arbor Block                       | PCS-170  | 1    |
| 2   | Arbor                             | PCS-171  | 1    |
| 3   | M5x5x30 Key                       | PCS-172  | 1    |
| 4   | Main Arbor Bearing                | PCS-173  | 1    |
| 5   | Electrode Shell                   | PCS-174  | 1    |
| 6   | M4x0.7x6 Button Head Socket Screw | PCS-175  | 6    |
| 7   | M4 External Tooth Lock Washer     | PCS-176  | 3    |
| 8   | Second Arbor Bearing              | PCS-177  | 1    |
| 9   | Arbor Spacer                      | PCS-178  | 1    |
| 10  | M20 External Retaining Ring       | PCS-179  | 3    |
| 11  | Arbor Pulley                      | PCS-180  | 1    |
| 12  | M6x1.0x8 Set Screw                | PCS-181  | 3    |
| 13  | 10" Combination Saw Blade         | PCS-182  | 1    |
| 14  | Arbor Washer                      | PCS-183  | 1    |
| 15  | Arbor Nut                         | PCS-184  | 1    |
| 16  | Pivot Shaft                       | PCS-185  | 1    |
| 17  | Double Pulley Bearing             | PCS-186  | 2    |
| 18  | Double Pulley                     | PCS-187  | 1    |
| 19  | Double Pulley Shaft               | PCS-188  | 1    |
| 20  | M6x16x3 Washer                    | PCS-189  | 1    |
| 21  | M6 Lock Washer                    | PCS-190  | 1    |
| 22  | M6x1.0x30 Socket Cap Screw        | PCS-191  | 1    |
| 23  | Retraction Guide                  | PCS-192  | 1    |
| 24  | Retraction Bracket                | PCS-193  | 1    |
| 25  | M8x16x2 Washer                    | PCS-194  | 1    |
| 26  | Retraction Spring                 | PCS-195  | 1    |
| 27  | M6x1x33 Hex Head Shoulder Screw   | PCS-196  | 1    |

|    |                                                        |           |     |
|----|--------------------------------------------------------|-----------|-----|
| 28 | M8x1.25x16 Button Head Socket Screw                    | PCS-197   | 2   |
| 29 | M12 Brake Positioning Bolt                             | PCS-198   | 1   |
| 30 | Brake Positioning Bolt O-Ring                          | PCS-199   | 1   |
| 31 | Brake Positioning Spring                               | PCS-200   | 1   |
| 32 | M12x1.75 Lock Nut                                      | PCS-201   | 1   |
| 33 | Arbor Belt                                             | PCS-202   | 1   |
| 34 | Motor Belt                                             | PCS-203   | 1   |
| 35 | Cartridge Cable                                        | PCS-204   | 1   |
| 36 | Cartridge Bracket                                      | PCS-205   | 1   |
| 37 | M6x1.0x12 Button Head Shoulder Screw                   | PCS-206   | 1   |
| 38 | Threaded Pin                                           | PCS-207   | 1   |
| 39 | M8x20x2 Washer                                         | PCS-208   | 1   |
| 40 | M8x1.25 Lock Nut (silver zinc)                         | PCS-209   | 1   |
| 41 | M4x0.7x20 Flat Head Socket Screw                       | PCS-210   | 2   |
| 42 | Cartridge Bracket Spacer                               | PCS-211   | 2   |
| 43 | M4x14x1 Washer                                         | PCS-212   | 2   |
| 44 | M4x0.7 Lock Nut                                        | PCS-213   | 2   |
| 45 | M5x0.8x8 Set Screw                                     | PCS-214   | 2   |
| 46 | Brass Pressure Ring                                    | PCS-215   | 1   |
| 47 | Brake Cartridge for 10" Blade                          | TSBC-10R2 | 1   |
| 48 | Brake Cartridge Key                                    | PCS-217   | 1   |
| 49 | Blade Spacing Attention Tag                            | PCS-218   | 1   |
| 50 | M5x0.8x8 Pan Head Phillips Screw (with M5 lock washer) | PCS-219   | 2   |
| C  | (Elevation Plate - see the Internal Assembly)          | N/A       | N/A |

# BLADE GUARD AND MITER GAUGE




# BLADE GUARD AND MITER GAUGE


| No. | Description                        | Part No.   | Qty. |
|-----|------------------------------------|------------|------|
|     | Micro Guard Blade Guard Assembly   | TSG-MG     | 1    |
| 1   | Top Guard                          | TSG-MG-001 | 1    |
| 2   | Side Guard Front Right             | TSG-MG-002 | 1    |
| 3   | Side Guard Middle Right            | TSG-MG-003 | 1    |
| 4   | Side Guard Rear Right              | TSG-MG-004 | 1    |
| 5   | Side Guard Front Left              | TSG-MG-005 | 1    |
| 6   | Side Guard Middle Left             | TSG-MG-006 | 1    |
| 7   | Side Guard Rear Left               | TSG-MG-007 | 1    |
| 8   | Grooved Clevis Pin (3mm x 8mm)     | TSG-MG-008 | 6    |
| 9   | 3mm E-Style Retaining Ring         | TSG-MG-009 | 6    |
| 10  | Front Dowel Pin (4mm x 22mm)       | TSG-MG-010 | 1    |
| 11  | Rear Grooved Pin (4mm x 15mm)      | TSG-MG-011 | 1    |
| 12  | Top Guard Extension Spring         | TSG-MG-012 | 2    |
| 13  | M3x0.5x16 Socket Head Cap Screw    | TSG-MG-013 | 1    |
| 14  | Rear Grooved Pin Spacer            | TSG-MG-014 | 1    |
| 15  | M3x0.5 Lock Nut                    | TSG-MG-015 | 1    |
| 16  | M3x1.06x8 Pan Head Phillips Screw  | TSG-MG-016 | 1    |
| 17  | Spreader                           | TSG-MG-017 | 1    |
| 18  | M6x1.0x30 Button Head Socket Screw | TSG-MG-018 | 1    |
| 19  | M6x16x1.5 Washer                   | TSG-MG-019 | 2    |
| 20  | Anti-Kickback Pawl Left            | TSG-MG-020 | 1    |

|      |                                    |            |   |
|------|------------------------------------|------------|---|
| 21   | Pawl Bushing                       | TSG-MG-021 | 1 |
| 22   | Anti-Kickback Pawl Right           | TSG-MG-022 | 1 |
| 23   | M6x1.0 Lock Nut                    | TSG-MG-023 | 1 |
| 24   | M4x25 Spring Pin                   | TSG-MG-024 | 1 |
| 25   | Pawl Spring                        | TSG-MG-025 | 1 |
| 1-16 | Complete Top Guard Assembly        | TSG-MG-026 | 1 |
|      | Miter Gauge Assembly               | PCS-220    | 1 |
| 26   | 3/16-24NCx3/8" Phillips Head Screw | PCS-221    | 3 |
| 27   | Angle Indicator                    | PCS-222    | 1 |
| 28   | Mounting Block                     | PCS-223    | 1 |
| 29   | Indexing Pin                       | PCS-224    | 1 |
| 30   | O-Ring                             | PCS-225    | 1 |
| 31   | Miter Gauge Head                   | PCS-226    | 1 |
| 32   | 8-32 NCx5/8" Phillips Head Screw   | PCS-227    | 3 |
| 33   | 8-32 NC Nut                        | PCS-228    | 3 |
| 34   | Miter Gauge Handle                 | PCS-229    | 1 |
| 35   | M8x18x3 Washer                     | PCS-230    | 1 |
| 36   | Miter Gauge Bar                    | PCS-252    | 1 |
| 37   | Gauge Head Mounting Screw          | PCS-232    | 1 |
| 38   | M6x1.0x8 Flat Head Phillips Screw  | PCS-233    | 1 |
| 39   | Retaining Disc                     | PCS-234    | 1 |
| 40   | M5x0.8x12 Spring Bearing           | PCS-251    | 3 |


# LITERATURE, HARDWARE AND TOOLS




1




2




3




4



5



6



7

| No. | Description                                | Part No. | Qty. |
|-----|--------------------------------------------|----------|------|
| 1   | PCS175 10" Professional Saw Owner's Manual | PCS-254  | 1    |
| 2   | Table Saw Hardware Pack                    | PCS-236  | 1    |
| 3   | PCS175 Unpacking Procedure Poster          | PCS-255  | 1    |

|   |                                                        |         |   |
|---|--------------------------------------------------------|---------|---|
| 4 | Hex Key Tool Holder (includes M3, M4, M5, M6 hex keys) | PCS-238 | 1 |
| 5 | M8 Ball End Hex Key                                    | PCS-239 | 1 |
| 6 | Blade Spacing Adjustment Gauge                         | PCS-240 | 1 |
| 7 | Push Stick                                             | PCS-241 | 1 |

# ACCESSORIES

SawStop recommends the following accessories for use with your SawStop® contractor saw. Contact your local authorized SawStop Dealer or SawStop at 1-866-SAWSTOP for more information.

| Accessory                                                                                                                                   | Part No.      |
|---------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| <b>SawStop Brake Cartridges</b>                                                                                                             |               |
| Standard Brake Cartridge for 10 inch saw blades                                                                                             | TSBC-10R2     |
| Dado Brake Cartridge for 8 inch dado sets                                                                                                   | TSDC-8R2      |
| <b>Precision Saw Blades</b>                                                                                                                 |               |
| 40 Tooth Combination Saw Blade                                                                                                              | PCS-182       |
| 60 Tooth Professional Saw Blade                                                                                                             | CB104 184     |
| Titanium Series 40-Tooth ATB Combination Rip Blade                                                                                          | BTS-R-40ATB   |
| Titanium Series 80-Tooth HATB Plywood / Laminate Blade                                                                                      | BTS-P-80HATB  |
| <b>Table Inserts</b>                                                                                                                        |               |
| Phenolic Standard Zero-Clearance Table Insert Assembly - with lock-down lever                                                               | TSI-SLD       |
| Phenolic Dado Zero-Clearance Table Insert Assembly - with lock-down lever                                                                   | TSI-DLD       |
| <b>Rip Fences and Extension Tables</b>                                                                                                      |               |
| Premium Fence Assembly (includes fence, rails and extension table)                                                                          | TSA-PFA       |
| T-Glide™ Fence System - Professional Series II Fence Assembly                                                                               | TGP2-FA       |
| 36 Inch Rails Assembly                                                                                                                      | TGP2-R36A     |
| 36 Inch Extension Table Assembly (for use with 36 inch rails)                                                                               | TGP2-T36A     |
| 52 Inch Rails Assembly                                                                                                                      | TGP2-R52A     |
| 52 Inch Extension Table Assembly (for use with 52 inch rails)                                                                               | TGP2-T52A     |
| <b>Miscellaneous Accessories</b>                                                                                                            |               |
| Micro-Guard Blade Guard Assembly                                                                                                            | TSG-MG        |
| Dust Collecting Blade Guard Assembly                                                                                                        | TSG-DC        |
| Over-Am Dust Collection                                                                                                                     | TSA-ODC       |
| Riving Knife                                                                                                                                | PCS-161       |
| Miter Gauge Assembly                                                                                                                        | PCS-220       |
| Professional Cabinet Saw Mobile Base                                                                                                        | MB-PCS-000    |
| Mobile Base Conversion Kit (The conversion kit is for use with the Industrial Mobile Base p/n MB-IND-000 which must be ordered separately.) | MB-IND-500    |
| 30 Inch Out-Feed Table                                                                                                                      | OFT30-CNS-000 |
| Push Stick                                                                                                                                  | PCS-241       |
| Sliding Table Attachment                                                                                                                    | TSA-SA48      |



SawStop, LLC  
11555 SW Myslony Street  
Tualatin, Oregon 97062 USA  
[www.sawstop.com](http://www.sawstop.com)

Main Phone - (503) 570-3200  
Service - (503) 582-9934  
Fax - (503) 570-3303  
Email: [info@sawstop.com](mailto:info@sawstop.com)